


Application Settings

There are several global settings that can be managed in the Application Settings dialog. To access this screen, click the "gear" icon in the upper right of the top navigation bar.











Desktop Client Settings


Connection Settings | Application Defaults

Manage your saved XNAT server connections here. You can store multiple user accounts per server, but you cannot store passwords.

[+ ADD NEW XNAT SERVER](#)

Server	User	Allow insecure SSL	Actions
10.1.1.17/xnat	admin		 
10.1.1.165	will		 
10.1.100.17	owner		 
10.1.100.17	admin		 

Managing Logins


 The Desktop Client never saves XNAT account passwords, and always requires users to reauthenticate in order to log in.

All logins that have ever been established in your Desktop Application are saved and can be managed from this screen. This includes any logins that were established via an authenticated token to enable a download process. You can easily edit or remove any of these stored logins via the "Edit" and "Delete" icons in the Actions column of this table. You can also add a new XNAT server login if you like.


Note: the Login screen of the application does not try to set a default XNAT – it lists the logins in the order that those XNAT accounts were last accessed.

Setting Application Defaults

Additional default settings can be configured in the "Application Defaults" panel.



A note on setting PET Tracers



When entering PET Tracers, the input field works like a "Tag" entry UI. You can type any value, and hit return or enter to enter that value as a new tag. All tags will be saved when the user clicks the "Save" button. Tracers can also be removed by clicking the "X" icon in each tag, or by hitting the delete key with your cursor in the input field.